Personal Details Name and Surname: AHAD GHAZAVI



Sex: Male

Date of Birth: 1975/07/03

Place of Birth: Neyshabur

City of Residence: West Azarbayjan, Urmia

Address: Motahari Hospital ,kashani street

Tel.: +984432237078

Email:Ghazavi.ahad@gmail.com

- نام و نام خانوادگی: دکتر احد قضاوی
 - تحصیلات:
 - ✓ فوق تخصص مغز و اعصاب کودکان
 - 🖊 سمت:
- حضو گروه بیماریهای کودکان، دانشکده پزشکی
 - حضو مركز تحقيقات نوروفيزيولوژي
 - حضو پژوهشکده پزشکی سلولی و مولکولی
 - عضو هیأت علمی بیمارستان شهید مطهری
 - مرتبه علمی: دانشیار
- آدرس: ارومیه، خیابان کاشانی بیمارستان شهید مطهری

Article	Duration
Comparison of laboratory parameters in children admitted with febrile seizures and fever without localized sign in Urmia Motahari hospital, Iran, 2015 until 2020	7.77
Evaluation of demographic, clinical and paraclinical characteristics of children with acute disseminated encephalomyelitis	7.71
Status epilepticus and coma leading to death in a boy caused by Medium Chain Acyl CoA dehydrogenase deficiency	7.71

Evaluation of the efficacy of levetiracetam plus iron in comparison with iron alone in controlling and reducing the frequency of breath-holding spells in children aged 6 months to 5 years	7.7.
Effective factors on clinical outcomes of children with osteosarcoma and Ewing bone tumors	7.7.
A kidney hydatid cyst with no conclusive diagnostic radiologic evidence: A case report	7.11
A comparative study of serum histamine levels between febrile children with and without Seizure	7.11
Seizure	

Prenatal stress potentiates febrile seizure and leads to long-lasting increase in cortisol blood levels in children under 2 years old.	Y • 1 V
Study of Vitamin D level in children with Non-specific Musculoskeletal Pain.	7.17
Metabolic screening in children with neurodevelopmental delay, seizure and/or regression	7.17

Omega 3 in childhood migraines: A double blind randomized clinical trial	7.1 <i>9</i>
Comparison of prophylactic effect of clobazam and diazepamin children with simple febrile convulsion (SFC	7.19
Mutation analysis of the phenylalanine hydroxylase gene in Azerbaijani population, a report from West Azerbaijan province of Iran	7.10
Molecular genetic analysis of the variable number of tandem-repeat alleles at the phenylalanine hydroxylase gene in Iranian azeri Turkish population	7.10

Use of complementary and alternative medicine for epileptic children in Tehran: A cross-Sectional study (2009-2011)	7.10
The Ketogenic and Atkins diets effect on intractable epilepsy: A comparison	7.14
Prophylaxis of childhood migraine: Topiramate versus Propranolol	7.17
Comparison of deflazacort and prednisone in Duchenne muscular dystrophy	7.17

CNS involvement by novel influenza virus type A (H1N1), the first report from Iran	۲.١.
Normal values for random urinary calcium to creatinine ratio in Iranian children	۲٠٠٨